Physica C 196 (1992) 403–406
North-Holland

PHYSICA C

Author Index to Volume 196

Abd-Elmeguid, M.M., J. Olejniczak, U. Köbler, Ch. Sauer and W. Zinn, Effect of Sn substitution for Cu on the magnetic and superconducting properties of $La_{2-x}Sr_x(Cu_{1-y}Sn_y)O_{4+\delta}$ ($0 \leqslant x \leqslant 0.15$) **196**, 315
Abdel-Raouf, M.A., see P. Saalfrank **196**, 340
Adachi, H., T. Satoh, Y. Ichikawa, K. Setsune and K. Wasa, Superconducting (Sr,Nd)CuO_y thin films with infinite-layer structure **196**, 14
Adachi, S., S. Takano and H. Yamauchi, Structural and superconducting properties of cuprates in the $YSr_2Cu_3O_y$–$GaSr_2YCu_2O_y$ system **196**, 125
Akera, H., see M.R. Norman **196**, 43
Ando, K., see S. Nomura **196**, 323
Andres, K., see G. Schindler **196**, 1
Arai, J., see H. Shimizu **196**, 329
Arciprete, F., see A. Balzarotti **196**, 79
Asano, H., see F. Izumi **196**, 227

Balzarotti, A., F. Patella, F. Arciprete, N. Motta and M. De Crescenzi, Reactivity of the $Bi_2Sr_2CaCu_2O_8$ and $Bi_{1.7}Pb_{0.3}Sr_2CaCu_2O_8$ surfaces for d-metal overlayers **196**, 79
Bando, Y., see G. Er **196**, 271
Bdikin, I.K., N.A. Dorokhova, D.Ya. Lenchinenko, M.P. Kulakov, V.Sh. Shekhtman and I.M. Shmyt'ko, Structural changes in $Bi_2Sr_2CaCu_2O_{8+x}$ single crystals between 20° and 875°C **196**, 191
Behnia, K., D. Jaccard, J. Sierro, P. Lejay and J. Flouquet, Thermal conductivity of heavy-fermion superconductor URu_2Si_2 **196**, 57
Bernhard, K. and G. Gritzner, $Tl_xBa_2Ca_3Cu_4O_y$ superconductors from coprecipitated oxalate precursors **196**, 259
Besagni, T., see F. Licci **196**, 307
Blunt, F.J., see A.R. Jones **196**, 63
Bonetti, E., E.G. Campari and S. Mantovani, Off-stoichiometric superconducting phases, oxygen mobility and anelastic relaxation in $YBa_2Cu_3O_{7-x}$ **196**, 7
Braginski, A.I., see C.L. Jia **196**, 211
Bredikhin, S.I., A.A. Maksimov, B.C.H. Steele and I.I. Tartakovskii, RS spectra in $YBa_2Cu_3O_{6+x}$ crystals with site-selective isotopic substitution of oxygen **196**, 117
Buchgeister, M., see T. Krekels **196**, 363

Cabannel, R., see B. Janossy **196**, 73
Campari, E.G., see E. Bonetti **196**, 7
Campbell, A.M., see A.R. Jones **196**, 63
Cava, R.J., see H.W. Zandbergen **196**, 252
Conder, K., J. Karpinski, E. Kaldis, S. Rusiecki and E. Jilek, Thermodynamics of the oxygen defects and phase stability of orthorhombic $YBa_2Cu_3O_{7-x}$ at oxygen pressures 10^{-3}–100 bar **196**, 164

De Crescenzi, M., see A. Balzarotti **196**, 79
De Groot, P.A.J., see Y. Ren **196**, 111
Den, T. and T. Kobayashi, Preparation and properties of $YSr_2Cu_{3-x}M_xO_y$ (M=Li, Al, Ti, V, Cr, Fe, Co, Ga, Ge, Mo, W and Re) **196**, 141
De Wette, F.W. and A.D. Kulkarni, Comment on "Phonons and specific heat in high-T_c $Tl_{1(2)}Ba_2Ca_{n-1}Cu_nO_{2n+3(4)}$ superconductors" **196**, 399
Dlouhá, M., see Z. Jirák **196**, 68
Dong, C., H.M. Duan, W. Kiehl, A. Naziripour, J.W. Drexler and A.M. Hermann, Composition dependence of the superconducting properties of the Tl–Ba–Ca–Cu–O system **196**, 291
Dorokhova, N.A., see I.K. Bdikin **196**, 191
Doyle, R.A., see A.R. Jones **196**, 63
Drexler, J.W., see C. Dong **196**, 291
D'Souza, C.P., see R. Pinto **196**, 264
Duan, H.M., see C. Dong **196**, 291
Dunne, L.J. and J.N. Murrell, Symmetry in the superconducting, insulating and metallic phases of doped cuprates **196**, 185

Er, G., S. Kikkawa, F. Kanamaru, Y. Miyamoto, S. Tanaka, M. Sera, M. Sato, Z. Hiroi, M. Takano and Y. Bando, Structural, electrical and magnetic studies of infinite-layered $Sr_{1-x}La_xCuO_2$ superconductor **196**, 271

Fischer, P., Large, flux-free $Y_1Ba_2Cu_3O_{7-\delta}$ single crystals by improved CuO–BaO flux growth **196**, 105
Flouquet, J., see K. Behnia **196**, 57
Frigeri, C., see F. Licci **196**, 307
Fruchter, L., see B. Janossy **196**, 73

Gamari-Seale, H., see P. Vašek **196**, 90
Gan, Z.Z., see J.Q. Li **196**, 135
Ganguly, P. and K. Rajagopalan Nair, Possible importance of localisation effects on the superconducting transition temperatures in the alkali-metal–fullerides **196**, 171
Gerdanian, P., see C. Picard **196**, 297
Golubov, A.A. and V.M. Krasnov, The first critical field, $H_{c1}^{\perp}$, and the penetration depth in dirty superconducting S/N multilayers **196**, 177
Greber, T., see M. Shimoda **196**, 236
Gritzner, G., see K. Bernhard **196**, 259
Gupta, L.C., see R. Pinto **196**, 264

Hermann, A.M., see C. Dong **196**, 291

Herrmann, K., see C.L. Jia **196**, 211
Herzog, P., see T. Krekels **196**, 363
Hiroi, Z., see G. Er **196**, 271
Horiuchi, S., see K. Yanagisawa **196**, 34
Hosseini, S.M., see T. Krekels **196**, 363

Ichikawa, M., see N. Sugii **196**, 129
Ichikawa, Y., see H. Adachi **196**, 14
Ishigaki, T., see F. Izumi **196**, 227
Izumi, F., K. Kinoshita, Y. Matsui, K. Yanagisawa, T. Ishigaki, T. Kamiyama, T. Yamada and H. Asano, The crystal structure of the superconducting copper oxide carbonate $(Ba_{1-x}Sr_x)_2Cu_{1+y}O_{2+2y+z}(CO_3)_{1-y}$. Defects in charge reservoirs and superconductivity **196**, 227

Jaccard, D., see K. Behnia **196**, 57
Janossy, B., I. Tanaka, H. Kojima, R. Cabannel and L. Fruchter, Magnetic susceptibility in the fluctuation regime for a $(La_{1-x}Sr_x)_2CuO_4$ ($x=0.075$) single crystal **196**, 73
Jia, C.L., B. Kabius, K. Urban, K. Herrmann, J. Schubert, W. Zander and A.I. Braginski, The microstructure of epitaxial $YBa_2Cu_3O_7$ films on steep steps in $LaAlO_3$ substrates **196**, 211
Jilek, E., see K. Conder **196**, 164
Jin, X., see Z. Shi **196**, 285
Jirák, Z., E. Pollert, D. Sedmidubský, M. Dlouhá and S. Vratislav, Neutron diffraction study of $Bi_2Sr_2MnO_{6.5}$ **196**, 68
Jones, A.R., R.A. Doyle, F.J. Blunt and A.M. Campbell, The relationship between magnetisation and hysteresis of critical current in sintered YBCO **196**, 63

Kabius, B., see C.L. Jia **196**, 211
Kaldis, E., see K. Conder **196**, 164
Kamiyama, T., see F. Izumi **196**, 227
Kanamaru, F., see G. Er **196**, 271
Karpinski, J., see K. Conder **196**, 164
Kê, T.S., see L. Wei **196**, 121
Kechiantz, A.M., The cause of unusual charging dependence of T_c in the electrostatic charging experiments on high-temperature superconducting films **196**, 48
Khalil, A.E., Lattice structure, flux dynamics and intrinsic noise generation in high-temperature superconductors **196**, 357
Kiehl, W., see C. Dong **196**, 291
Kikkawa, S., see G. Er **196**, 271
Kim, K.H., see S.H. Kim **196**, 27
Kim, S.H., Y.Y. Kim, S.H. Lee and K.H. Kim, Thermodynamic study of the effects of Pb-addition on the formation of the 2223 phase in the Bi-based superconductor system **196**, 27
Kim, Y.Y., see S.H. Kim **196**, 27
Kinoshita, K., see F. Izumi **196**, 227
Kiyama, T., see H. Shimizu **196**, 329
Kleiner, R., see G. Schindler **196**, 1
Kobayashi, N., see H. Matsuo **196**, 276
Kobayashi, T., see T. Den **196**, 141
Köbler, U., see M.M. Abd-Elmeguid **196**, 315
Koblischka, M.R., see Th. Schuster **196**, 373
Koike, Y., see H. Matsuo **196**, 276
Kojima, H., see B. Janossy **196**, 73
Krajewski, J.J., see H.W. Zandbergen **196**, 252
Krasnov, V.M., see A.A. Golubov **196**, 177
Krasnov, V.M., V.A. Oboznov and V.V. Ryazanov, Anomalous temperature dependence of $H_{c1}^{\perp}$ in superconducting Nb/Cu multilayer **196**, 335
Krekels, T., H. Zou, G. van Tendeloo, D. Wagener, M. Buchgeister, S.M. Hosseini and P. Herzog, Ortho II structure in $ABa_2Cu_3O_{7-\delta}$ compounds (A=Er, Nd, Pr, Sm, Yb) **196**, 363
Kronmüller, H., see Th. Schuster **196**, 373
Kubo, K., see N. Sugii **196**, 129
Kufudakis, A., see P. Vašek **196**, 90
Kugel, K.I. and A.L. Rakhmanov, Bean–Livingston surface barrier and magnetic properties of granular superconductors **196**, 17
Kuhn, H., see Th. Schuster **196**, 373
Kulakov, M.P., see I.K. Bdikin **196**, 191
Kulkarni, A.D., see F.W. de Wette **196**, 399
Kumar, D., see R. Pinto **196**, 264

Ladik, J., see P. Saalfrank **196**, 340
Lee, S.H., see S.H. Kim **196**, 27
Leghissa, M., see Th. Schuster **196**, 373
Lejay, P., see K. Behnia **196**, 57
Lenchinenko, D.Ya., see I.K. Bdikin **196**, 191
Li, J.Q., Z.X. Zhao, Y.L. Li, D.B. Zhu, Z.Z. Gan and D.L. Yin, Structural study on C_{60} material **196**, 135
Li, Y.L., see J.Q. Li **196**, 135
Licci, F., L. Raffo, T. Besagni, C. Frigeri and C. Paris, Diamagnetic substitution in LaSCO and YBCO superconductors. Study of Cd- and Sn-doped systems **196**, 307
Liegener, C.-M., see P. Saalfrank **196**, 340
Lindemer, T.B., F.A. Washburn and C.S. MacDougall, Study of phase behavior in the $YBa_2Cu_3O_{7-x}$–$BaCuO_{2+y}$–CuO–Ag system **196**, 390
Lippert, M., see Th. Schuster **196**, 373
Lu, M., see Z. Shi **196**, 285
Ludescher, B., see Th. Schuster **196**, 373

MacDonald, A.H., see M.R. Norman **196**, 43
MacDougall, C.S., see T.B. Lindemer **196**, 390
Maksimov, A.A., see S.I. Bredikhin **196**, 117
Mantovani, S., see E. Bonetti **196**, 7
Matsui, Y., see K. Yanagisawa **196**, 34
Matsui, Y., see F. Izumi **196**, 227
Matsuo, H., Y. Koike, T. Noji, N. Kobayashi and Y. Saito, Carrier doping and resistive and magnetic anomalies in partially substituted $Ca_{1-x}Sr_xCuO_2$ **196**, 276
Mitros, Ch., see P. Vašek **196**, 90
Miyamoto, Y., see G. Er **196**, 271
Mott, N.F., Note on the specific heat and conductivity of $YB_2(Cu_{1-x}Zn_x)_3O_{7-\delta}$ in the non-superconducting range of x **196**, 369

Motta, N., see A. Balzarotti **196**, 79
Müller, P., see G. Schindler **196**, 1
Murrell, J.N., see L.J. Dunne **196**, 185

Naziripour, A., see C. Dong **196**, 291
Niarchos, D., see P. Vašek **196**, 90
Niarchos, D., see M. Pissas **196**, 157
Nicolaides, G.K., see M. Pissas **196**, 157
Noji, T., see H. Matsuo **196**, 276
Nomura, S., H. Yoshino and K. Ando, Cross-substitution of Bi and Sr in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **196**, 323
Norman, M.R., H. Akera and A.H. MacDonald, Mean-field superconductivity in a strong magnetic field **196**, 43

Oboznov, V.A., see V.M. Krasnov **196**, 335
Olejniczak, J., see M.M. Abd-Elmeguid **196**, 315
Osterwalder, J., see M. Shimoda **196**, 236

Pai, S.P., see R. Pinto **196**, 264
Paris, C., see F. Licci **196**, 307
Patella, F., see A. Balzarotti **196**, 79
Peck Jr., W.F., see H.W. Zandbergen **196**, 252
Phillips, J.C., Dopant microdomains, local magnetic moments, and superconductivity in $La_{2-y}Sr_yCu_{1-x}M_xO_4$ alloys **196**, 153
Picard, C. and P. Gerdanian, Chain-plane oxygen rearrangement in $YBa_2Cu_3O_z$ at room temperature. Thermodynamic equilibrium may be obtained in a reasonable period of time **196**, 297
Pinto, R., S.P. Pai, C.P. D'Souza, L.C. Gupta, R. Vijayaraghavan, D. Kumar and M. Sharon, Optimization of KrF laser ablation parameters for in-situ growth of $Y_1Ba_2Cu_3O_{7-\delta}$ thin films **196**, 264
Pissas, M., G.K. Nicolaides, V. Psycharis and D. Niarchos, Quantitative analysis and studies of the transformation from $Bi_2Sr_2CaCu_2O_{8+x}$ to $Bi_2Sr_2Ca_2Cu_3O_{10+x}$ using Rietveld analysis and AC-susceptibility **196**, 157
Pollert, E., see Z. Jirák **196**, 68
Pollert, E., see P. Vašek **196**, 90
Psycharis, V., see M. Pissas **196**, 157

Raffo, L., see F. Licci **196**, 307
Rajagopalan Nair, K., see P. Ganguly **196**, 171
Rakhmanov, A.L., see K.I. Kugel **196**, 17
Reissner, M., see X.Z. Wang **196**, 247
Ren, Y. and P.A.J. de Groot, Non-logarithmic relaxation in flux-grown $YBa_2Cu_3O_{7-\delta}$ single crystal **196**, 111
Rusiecki, S., see K. Conder **196**, 164
Ryazanov, V.V., see V.M. Krasnov **196**, 335

Saalfrank, P., J. Ladik, R.F. Wood, M.A. Abdel-Raouf and C.-M. Liegener, Ab initio cluster and band structure calculations on systems modeling La_2CuO_4. Effects of charge transfer between the different planes, Madelung potentials, doping and correlation **196**, 340
Saito, Y., see H. Matsuo **196**, 276
Sakurai, T., see N. Sugii **196**, 129
Sato, M., see G. Er **196**, 271
Satoh, T., see H. Adachi **196**, 14
Sauer, Ch., see M.M. Abd-Elmeguid **196**, 315
Schindler, G., B. Seebacher, R. Kleiner, P. Müller and K. Andres, Electrical characterisation of single grain boundaries in $DyBa_2Cu_3O_x$-ceramics **196**, 1
Schlapbach, L., see M. Shimoda **196**, 236
Schubert, J., see C.L. Jia **196**, 211
Schuster, Th., M.R. Koblischka, H. Kuhn, B. Ludescher, M. Leghissa, M. Lippert and H. Kronmüller, Flux-lines of inversed sign in $YBa_2Cu_3O_{7-\delta}$ thin films **196**, 373
Sedmidubský, D., see Z. Jirák **196**, 68
Seebacher, B., see G. Schindler **196**, 1
Sera, M., see G. Er **196**, 271
Setsune, K., see H. Adachi **196**, 14
Sharon, M., see R. Pinto **196**, 264
Shekhtman, V.Sh., see I.K. Bdikin **196**, 191
Shen, M.-Y., S.-L. Zhang and Y.-F. Zhang, Raman spectra of superconducting and non-superconducting phase of $Nd_{2-x}Ce_xCuO_4$ **196**, 95
Shi, Z., Y. Zhang, X. Jin, M. Lu, X. Xu and X. Yao, Magnetic properties of high-T_c superconductive materials in low fields **196**, 285
Shimizu, H., T. Kiyama and J. Arai, Influence of Fe, Co, Ni and Zn substitution on critical temperature and structural change of $GdBa_2Cu_3O_7$ **196**, 329
Shimoda, M., T. Greber, J. Osterwalder and L. Schlapbach, X-ray photoelectron diffraction studies of $Bi_2Sr_2CaCu_2O_{8+x}$ **196**, 236
Shmyt'ko, I.M., see I.K. Bdikin **196**, 191
Shoda, K., see K. Yanagisawa **196**, 34
Sierro, J., see K. Behnia **196**, 57
Steele, B.C.H., see S.I. Bredikhin **196**, 117
Steger, P.L., see X.Z. Wang **196**, 247
Steiner, W., see X.Z. Wang **196**, 247
Sugii, N., M. Ichikawa, K. Kubo, T. Sakurai, K. Yamamoto and H. Yamauchi, Growth of $Sr_{1-x}Nd_xCuO_y$ thin films by RF-magnetron sputtering and their crystallographic properties **196**, 129
Svoboda, P., see P. Vašek **196**, 90

Takano, M., see G. Er **196**, 271
Takano, S., see S. Adachi **196**, 125
Takayama-Muromachi, E., see K. Yanagisawa **196**, 34
Tanaka, I., see B. Janossy **196**, 73
Tanaka, S., see G. Er **196**, 271
Tartakovskii, I.I., see S.I. Bredikhin **196**, 117
Tešanović, Z., see L. Xing **196**, 241
Tewordt, L., see S. Wermbter **196**, 383

Urban, K., see C.L. Jia **196**, 211

Van Tendeloo, G., see T. Krekels **196**, 363
Vašek, P., P. Svoboda, E. Pollert, D. Zemanová, A. Kufudakis, Ch. Mitros, H. Gamari-Seale and D. Niarchos, Superconductivity of $Pr_{0.5}R_{0.5}Ba_2Cu_3O_{7-y}$ system and the existence of a critical ion radius for suppression of

superconductivity in $R_{1-x}Pr_xBa_2Cu_3O_{7-y}$ **196**, 90
Vijayaraghavan, R., see R. Pinto **196**, 264
Vratislav, S., see Z. Jirák **196**, 68

Wagener, D., see T. Krekels **196**, 363
Wang, X.Z., P.L. Steger, M. Reissner and W. Steiner, Oxygen ordering and superconductivity in $DyBaSrCu_3O_y$ **196**, 247
Wasa, K., see H. Adachi **196**, 14
Washburn, F.A., see T.B. Lindemer **196**, 390
Wei, L. and T.S. Kê, Effect of the substitution of Fe, Co, Ni for Cu in $YBa_2Cu_3O_{7-\delta}$ studied by anelastic relaxation measurements **196**, 121
Wermbter, S. and L. Tewordt, Theory of neutron scattering, thermal conductivity, and photoemission for Cu–O plane superconductors **196**, 383
Wood, R.F., see P. Saalfrank **196**, 340

Xing, L. and Z. Tešanović, Dense vortex plasma in type-II superconductors **196**, 241
Xu, X., see Z. Shi **196**, 285

Yamada, T., see F. Izumi **196**, 227
Yamamoto, K., see N. Sugii **196**, 129
Yamauchi, H., see S. Adachi **196**, 125
Yamauchi, H., see N. Sugii **196**, 129
Yanagisawa, K., Y. Matsui, K. Shoda, E. Takayama-Muromachi and S. Horiuchi, Modulated structures of $(Bi_{1-x}Pb_x)_2Sr_2CoO_y$ examined by high-resolution transmission electron microscopy **196**, 34
Yanagisawa, K., see F. Izumi **196**, 227
Yao, X., see Z. Shi **196**, 285
Yin, D.L., see J.Q. Li **196**, 135
Yoshino, H., see S. Nomura **196**, 323

Zandbergen, H.W., R.J. Cava, J.J. Krajewski and W.F. Peck Jr., HREM on defects in $Sr_2Nd_{1.5}Ce_{0.5}NbCu_2O_{10-\delta}$ **196**, 252
Zander, W., see C.L. Jia **196**, 211
Zemanová, D., see P. Vašek **196**, 90
Zhang, S.-L., see M.-Y. Shen **196**, 95
Zhang, Y., see Z. Shi **196**, 285
Zhang, Y.-F., see M.-Y. Shen **196**, 95
Zhao, Z.X., see J.Q. Li **196**, 135
Zhu, D.B., see J.Q. Li **196**, 135
Zinn, W., see M.M. Abd-Elmeguid **196**, 315
Zou, H., see T. Krekels **196**, 363

Physica C196 (1992) 407–408
North-Holland

PHYSICA C

Analytic Subject Index to Volume 196

Acoustic internal friction 121
AC susceptibility 98, 157
Anisotropic superconductor 57, 73, 241
Antiferromagnetic order 315

Band structure 185, 383
–of La_2CuO_4 340
BCS model 43
Bipolaronic superconductivity 369

C_{60} compounds 135, 171
Carrier concentration 48, 141, 185, 307, 323, 369
Copper oxide carbonate 227
Critical current density 17, 259, 264, 285
Critical state model 63
Cu–O planes 315

Defect structures 135, 153, 211, 252, 323
Dislocation 211

Electrical field effect 48
Electrical resistivity 14, 141, 171, 271, 276, 297, 307, 369
Electron-doped superconductor 14
Electronic structure 340
Electron–phonon coupling 57, 383

Faraday effect 373
Fermi surface 340
Fluctuation effects 241, 357
–in $(La_{1-x}Sr_x)_2CuO_4$ 73
Flux creep 111
Flux dynamics 241, 357, 373
–in $YBa_2Cu_3O_{7-\delta}$ 111
Flux lattice 43
Flux pinning 17, 357

Grain boundaries 1, 211, 285
Granular superconductivity 17, 98, 285

Hall effect 271, 276
Heavy-fermion compounds 57, 177
HREM 34, 135, 211, 227, 252
HRTEM 34
Hysteresis of critical current density 63

Internal friction 7

Josephson effect 1

Lattice dynamics 399
–of $Nd_{2-x}Ce_xCuO_4$ 95
Lattice parameters 90, 291, 323
Localisation effects 171
Local magnetic moments 153
Lower critical field H_{c1} 335

Madelung potential 276, 340
Magnetic relaxation 111, 373
Magnetic susceptibility 73, 247
Magnetization 63, 335, 373
Metal–insulator transition 185
Modulated structures 34, 68, 191, 236
Monte Carlo simulations 241
Multilayers 79, 177, 335

Neutron diffraction 227
–of $Bi_2Sr_2MnO_{6.5}$ 68
Neutron scattering (inelastic) 383
Noise generation 357
Normal-state properties 297

Orthorhombic phases
–of $YBa_2Cu_3O_{7-x}$ 7
O–T transition 125, 297, 329
Oxygen diffusion 117, 164
Oxygen ordering 247, 297, 363
Oxygen stoichiometry 7, 68, 141, 164, 363, 390

Pair breaking 315
Pb-doping 34
Penetration depth 98, 177
Phonon spectrum 95, 399
Photoelectron spectroscopy 79
Proximity effect 48, 177, 335

Raman scattering 95, 117
Reactivity
–of $Bi_2Sr_2CaCu_2O_8$ 79
Rietveld analysis 227

Single-crystal growth 105
Specific heat 369, 399
Structural phase transition 157, 191, 329
Structure
–defects in charge reservoirs and superconductivity 227
–of $ABa_2Cu_3O_{7-\delta}$ (A = Er, Nd, Pr, Sm, Yb) 363
–of $(Ba_{1-x}Sr_x)_2Cu_{1+y}O_{2+2y+z}(CO_3)_{1-y}$ 227
–of Bi-2223 27
–of $Bi_2Sr_2CaCu_2O_{8+x}$ 236
–of Bi–Sr–Ca–Cu–O 157
–of C_{60} 135
–of $DyBaSrCu_3O_y$ 247
–of $Pr_{0.5}R_{0.5}Ba_2Cu_3O_{7-y}$ 90
–of $Sr_{1-x}Nd_xCuO_y$ 129
–of $Sr_2Nd_{1.5}Ce_{0.5}NbCu_2O_{10-\delta}$ 252
–of Tl–Ba–Ca–Cu–O 291
–of $Tl_xBa_2Ca_3Cu_4O_y$ 259
–of $Y_1Ba_2Cu_3O_{7-\delta}$ 105
–of $YBa_2Cu_3O_{7-x}$–$BaCuO_{2+y}$–CuO–Ag 390
–of $YSr_2Cu_3O_y$ – $GaSr_2YCu_2O_y$ system 125
Substitution effects
–in Bi-2223 27
–in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 323
–in $Bi_2Sr_2CoO_y$ 34
–in $Ca_{1-x}Sr_xCuO_2$ 276
–in $GdBa_2Cu_3O_7$ 329
–in La_2CuO_4 340
–in $La_{2-y}Sr_yCu_{1-x}M_xO_4$ 153
–in LaSCO 307
–in $Pr_{0.5}R_{0.5}Ba_2Cu_3O_{7-y}$ 90
–in $YBa_2Cu_3O_{6+x}$ 117
–in $YBa_2Cu_3O_{7-\delta}$ 121
–in YBCO 307
–in $YSr_2Cu_{3-x}M_xO_y$ 141
Surface barrier 17
Synthesis
–of Bi-2223 27
–of $DyBaSrCu_3O_y$ 247
–of (Sr,Nd)CuO_y 14
–of $Sr_{1-x}La_xCuO_2$ 271
–of $Sr_{1-x}Nd_xCuO_y$ 129
–of Tl–Ba–Ca–Cu–O 291
–of $Y_1Ba_2Cu_3O_{7-\delta}$ 105, 264
–of $YBa_2Cu_3O_{7-x}$ 164
–of $YBa_2Cu_3O_{7-x}$–$BaCuO_{2+y}$–CuO–Ag 390
–of $YBa_2Cu_3O_z$ 297

–of $YSr_2Cu_3O_y$ – $GaSr_2YCu_2O_y$ system 125
Synthesis of Tl–Ba–Ca–Cu–O 259

Thermal conductivity 57, 383
Thermoelectric effects 271
Thin film 48
Thin films 14, 211, 264, 373
–of $Sr_{1-x}Nd_xCuO_y$ 129
Type II superconductors 43

Upper critical field H_{c2} 43

Weak links 1, 211, 285

XPS 236, 383
X-ray diffraction 157, 191

Physica C196 (1992) 409
North-Holland

PHYSICA C

Materials Index to Volume 196

$ABa_2Cu_3O_{7-\delta}$
–structure 363

$(Ba_{1-x}Sr_x)_2Cu_{1+y}O_{2+2y+z}(CO_3)_{1-y}$
–structure 227
Bi-2223
–structure 27
–substitution effects 27
–synthesis 27
$Bi_2Sr_2CaCu_2O_8$
–reactivity 79
$Bi_2Sr_2CaCu_2O_{8+\delta}$
–substitution effects 323
$Bi_2Sr_2CaCu_2O_{8+x}$
–structure 236
$Bi_2Sr_2CoO_y$
–substitution effects 34
$Bi_2Sr_2MnO_{6.5}$
–neutron diffraction 68
Bi–Sr–Ca–Cu–O
–structure 157

$Ca_{1-x}Sr_xCuO_2$
–substitution effects 276

$DyBaSrCu_3O_y$
–structure 247
–synthesis 247

$GdBa_2Cu_3O_7$
–substitution effects 329

$(La_{1-x}Sr_x)_2CuO_4$
–fluctuation effects 73
La_2CuO_4
–band structure 340
–substitution effects 340
$La_{2-y}Sr_yCu_{1-x}M_xO_4$
–substitution effects 153
LaSCO
–substitution effects 307

$Nd_{2-x}Ce_xCuO_4$
–lattice dynamics 95

$Pr_{0.5}R_{0.5}Ba_2Cu_3O_{7-y}$
–structure 90
–substitution effects 90

$(Sr,Nd)CuO_y$
–synthesis 14
$Sr_{1-x}La_xCuO_2$
–synthesis 271
$Sr_{1-x}Nd_xCuO_y$
–structure 129
–synthesis 129
–thin films 129
$Sr_2Nd_{1.5}Ce_{0.5}NbCu_2O_{10-\delta}$
–structure 252

Tl–Ba–Ca–Cu–O
–structure 291
–synthesis 291
$Tl_xBa_2Ca_3Cu_4O_y$
–structure 259

$Y_1Ba_2Cu_3O_{7-\delta}$
–structure 105
–synthesis 105, 264
$YBa_2Cu_3O_{6+x}$
–substitution effects 117
$YBa_2Cu_3O_{7-\delta}$
–flux dynamics 111
–substitution effects 121
$YBa_2Cu_3O_{7-x}$
–orthorhombic phases 7
–synthesis 164
$YBa_2Cu_3O_{7-x}$–$BaCuO_{2+y}$–CuO–Ag
–structure 390
–synthesis 390
$YBa_2Cu_3O_z$
–synthesis 297
$YSr_2Cu_3O_y$
–structure 125
–synthesis 125
$YSr_2Cu_{3-x}M_xO_y$
–substitution effects 141